



Prospec Limited

Tel: 01709 377147

To complete the clause, select the appropriate wording from below. Highlighted text can be 'dragged and dropped' to save typing.

N10 GENERAL FIXTURES/ FURNISHINGS/ EQUIPMENT

220 LOCKERS:

Marathon HC Lockers

Designed for use in dry changing areas in health clubs / golf clubs.

MFC locker bodies, available in a variety of height combinations and widths.

Extruded Aluminium door frames and hinges.

MFC bases tops and shelves.

Doors and matching decorative end panels from Toughened float glass with coloured ceramic paint finish, or Compact grade laminate.

Doors and matching decorative end panels from Toughened float glass, Compact grade laminate or MDF with laminate or veneered faces.

Various plinth options.

Selection of locking systems.

Designed for dry environments with resistance to vandalism, graffiti and break-in.

Marathon Lockers are installed by Prospec employees.

Consult Prospec Ltd technical literature for details and colour availability.

Prospec also offer a design services with CAD drawings and it is recommended that they are consulted early in the design process.

Manufacturer: Prospec Limited, Canklow Meadows Estate, West Bawtry Road, Rotherham, S60 2XL, Tel: 01709 377147, Fax: 01709 375239, Web: www.prospec.co.uk E-mail: marathon@prospec.co.uk

Product reference: Marathon HC Lockers.

Material:

Melamine faced chipboard bodies with screw and dowel construction.

Base, top and shelf units from the same material with 2mm PVC edgebanding to front edges.

Door frames:

From extruded aluminium profiles. Pre drilled for on site assembly. Hinges from aluminium and stainless steel engaged into door frame profiles and locked with stainless steel screws. Spring loading for automatic door closing.

Adjustments for horizontal and vertical alignment of doors.

Door buffers from neoprene engaged into aluminium profiles

Doors:

10mm toughened float glass with opaque ceramic paint to inside face.

11mm Laminated and toughened float glass with opaque ceramic paint to inside face.

10mm Compact grade laminate.

10mm MDF faced with 0.9mm high-pressure laminate.

10mm MDF faced with true wood veneers.

Doors are attached to hinges with stainless steel screws into aluminium rosettes anodised to match door frame profiles.

Matching end and infill panels are provided according to site requirements.

Finish/ Colour:

All edges of glass doors and panels to be polished with small chamfers to all edges and corners.

All edges of Laminate doors and panels to be machined to a bullnosed profile with corners radiused for safety.

All edges of MDF doors to be faced with PVC edgebanding.

Door colour: Satin silver / Gold / Dark bronze

Size/Configuration: (Add plinth dimension for overall height).

Height: 900mm / 1500mm / 1700mm / 1800mm / 2000mm / 2100mm

Width: 300mm / 350mm / 400mm / 450mm

Tierage:

1 Tier, single compartments with additional shelf at 300mm down from top.

2 Tier, 2 equal height compartments with coat hooks.

2 Tier, 2 equal compartments with integral seats and "well" to lower portion of bottom compartment.

3 Tier, 3 equal compartments.

3 Tier unequal, 1 half-height compartment with coat hooks over 2-quarter height.

4 Tier, 4 equal compartments.

2 Tier, Duplex Z-lockers. 2 equal height compartments with coat hooks.

Increases effective internal height by 300mm per compartment. Available in 1800mm and 2,000mm high. Not available in glass.

2 Tier x 4 compartment Double Duplex Z-Lockers.

Available only in 2,000mm high. NB. Not available in glass.

Support Plinths:

Pre-cast concrete plinth (by others)

Timber framed 100mm / 150mm high.

150mm high 30mm x 30mm powder coated mild steel support frame on adjustable feet.

415mm high 30mm x 30mm powder coated mild steel support frame with 290mm /

390mm wide Compact grade laminate / hardwood timber seat slat.

100 x 100 x 3.2mm cantilevered aluminium angle support fixed to wall.

Fittings:

Full width hanging rails from Satin silver anodised aluminium.

In all compartments of 900mm or higher, captive coat hangers are available as an option.

Lock options:

Aluminium hasp and clasp from machined aluminium engaged into grooves in the door frame profile, clasp is formed by machined hole in door and aluminium numberplate attached to door by stainless steel through fixing into Satin anodised aluminium door knob. Padlock can be supplied by Client or Prospec.

Standard Camlock from solid brass, nickel-plated cam lock with 6-pin cylinder, drilled security key, mastered key series with 2,000 differs. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 1no user key per lock and 2no master keys per installation.

Prospec Combination lock with dual mechanism 4 digit combination, 10,000 different user

selectable combinations, override master key and lost code finder function, separate number plate or engraved numeral on Laminate doors. Fixed through the door with 4 no machine screws.

Prospec Removable Cylinder Coin lock with coin refund, removable nickel-plated brass cylinder, drilled security key, mastered series with 2,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys and 1no cylinder removal key per installation.

Prospec Removable Cylinder Card lock with removable nickel plated brass cylinder, drilled security key, mastered series with 2,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys and 1no Cylinder removal key installation.

Cards can be supplied by Client or Prospec.

Hole punch available to allow cards to be made on site.

Prospec Removable Cylinder Coin collect lock with coin retain function, coin box with separate master key, removable nickel plated brass cylinder, drilled security key, mastered series with 2,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys, 1no Cylinder removal key and 2no Coin box master keys per installation.

Enhanced security option available for all Prospec coin / card locks, Comprising aluminium edge guard fixed to inner face of door. **COMPACT GRADE LAMINATE DOORS ONLY.**

Prospec / Kaba Fixed Cylinder Coin lock with coin refund, fixed KABA cylinder, drilled security key, Unique mastered series with 10,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 2no master keys per order.

Prospec / Kaba Removable Cylinder Coin lock with coin refund, removable KABA cylinder, drilled security key, Unique mastered series with 10,000 differs, Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 2no master keys and 1no cylinder removal key per order.

Prospec / Kaba Fixed Cylinder Coin collect lock with coin retain function, fixed KABA cylinder, drilled security key, Unique mastered series with 10,000 differs, Fixed to backplate with 4no anti tamper torx screws. Coin box with separate master key. Attached to door on aluminium numberplate by stainless steel through fixings. Supplied with 2no master keys per order.

Prospec / Kaba Removable Cylinder Coin collect lock with coin retain function, removable KABA cylinder, drilled security key, Unique mastered series with 10,000 differs, Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Coin box with separate master key. Attached to door on aluminium numberplate by stainless steel through fixings. Supplied with 2no master keys and 1no cylinder removal key per order.

Prospec / Kaba Fixed Cylinder Coin collect lock with coin retain function, fixed KABA cylinder, drilled security key, Unique mastered series with 10,000 differs, Fixed to backplate with 4no anti

tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Coin box with separate master key. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys and 2no coin box master keys per installation.

Prospec / Kaba Removable Cylinder Coin collect lock with coin retain function, removable KABA cylinder, drilled security key, Unique mastered series with 10,000 differs, Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Coin box with separate master key. Attached to door on aluminium numberplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys, 1no cylinder removal key and 2no coin box master keys per installation.

High security option available for all Prospec / Kaba coin locks, Comprising stainless steel lock bolt, cylinder shroud, stainless steel reinforcement backplate, additional fixing screws.

Keystraps:

Moulded from Flexible PVC, stainless steel buckles, with black numerals, for all cam and coin locks.

Colour: Blue / Green / Red / Yellow / Orange / White

Moulded from Flexible PVC, integral buckles, with black numerals, for all cam and coin locks.

Colour: Blue / Green / Red / Yellow / Orange / Grey / White

Numbered discs / safety pin:

25mm Diameter White Trafolyte disc white black engraved numerals.

DDA compliant numberplates:

Semi elliptical Trafolyte with 30mm high tactile engraved numerals, in numerous 2no colours options to distinguish numeral from plate and plate from door.

Marathon OTS:

Transponder operated stand-alone lock, powered by 4 AA batteries, 50,000 cycle's battery life. Push button to lock / unlock operated by strap, card or Technogym key. Attached to locker door and aluminium numberplate by stainless steel through fixings.

Capable of being configured for specific types of facility, health club, leisure centre.

Locks programmed by remote unit.

Remote information terminal showing locker number of individual straps, cards.

Strap return unit with deposit refund option, turnstile activation and interface with Optional PC

Resistance to forced entry by leverage 200kg as tested 21/06/06.

Prospec Digilock:

Battery operated standalone electronic digital lock with 4-digit user selected code input, master key, management key and disabled user key option. LED indicators for lock unlock and low battery warning, 4 AA size batteries 30,000 cycles, Deadbolt locking for security, fixed through the door with steel screws.

Can be assigned for private clubs or shared use for public buildings.

Keypad with integral pull handle.

seperate numberplate or engraved numerals on laminate doors.

Marathon-LoXS:

Computerised Proximity Control and Management System integrated into standard locker components, mechanical / electronic lock operated by low voltage current (16volts nominal)
Can be configured for specific types of facility, e.g. private health club, Public Leisure Centre etc.

Lock mounted to vertical doorframe with 4no stainless steel screws, latch pin from stainless steel secured through door with anti tamper feature.

Locks are operated by wriststraps containing a proximity chip.

Visual LCD indicator in door to show in use or free compartments.

Automatic or manual locker allocation from Visual Display Unit, function to remind users of locker number.

Alarm function visible at central computer.

Wriststrap return unit with deposit refund.

Capable of linking to access control of turnstiles or door locks.

Locker use can be monitored, analysed, and controlled via central computer.

Resistance to forced entry by leverage 137kg as tested 14/04/04.