



Prospec Limited

Tel: 01709 377147

To complete the clause, select the appropriate wording from below. Highlighted text can be 'dragged and dropped' to save typing.

N10 GENERAL FIXTURES/ FURNISHINGS/ EQUIPMENT

220 LOCKERS:

Marathon Lockers

Aluminium locker bodies, available in a variety of height combinations and widths.
Extruded Aluminium door frames and hinges.
Injection moulded bases tops and shelves.
Doors and matching decorative end panels from Compact grade laminate or float glass.
Various plinth options.
Selection of locking systems.
Designed for humid and wet environments with resistance to vandalism, graffiti and break-in.
Marathon Lockers are installed by Prospec employees.
Consult Prospec Ltd technical literature for details and colour availability.
Prospec also offers a design service with CAD drawings and it is recommended that they be consulted early in the design process.

Manufacturer: Prospec Limited, Canklow Meadows Estate, West Bawtry Road, Rotherham, S60 2XL, Tel: 01709 377147, Fax: 01709 375239, Web: www.prospec.co.uk E-mail: marathon@prospec.co.uk

Product reference: Marathon Lockers

Material:

Aluminium sheet bodies with rolled radius rear internal corners to reduce dirt traps,
Pre drilled holes for on site assembly.

Door frames:

Extruded aluminium profiles. Predrilled for on site assembly.

Base, top and shelf units:

From High impact polystyrene injection moulding, holes are preformed for on site assembly.
Hinges from aluminium and stainless steel engaged into door frame profiles and locked with stainless steel screws. Spring loading for automatic door closing. Adjustments for horizontal and vertical alignment of doors.

Door buffers from aluminium and neoprene engaged into aluminium profiles.

Doors:

10mm Compact grade laminate / 10mm toughened float glass with opaque ceramic paint to inside face.

Doors attached to hinges with stainless steel screws into satin anodised aluminium rosettes on the outside.

Matching end and infill panels are provided according to site requirements.

Finish/ Colour:

Bodies standard mill finish, Optional Polyester powder coating / Satin anodised

All edges of Compact grade laminate doors and panels are machined to a bullnosed profile, corners are radiused for safety.

All edges of glass doors and panels are polished with small chamfers to all edges and corners.

Colour: - select from manufacturer's range availability

Size/Configuration:

Height: 900mm / 1500mm / 1700mm / 1800mm / 2,000mm

(Add 30mm for built in base plinth)

Width: 250mm / 300mm / 375mm*/ 400mm / 450mm*

(*Supplied with powder coated formed aluminium bases, tops and shelves).

Tierage:

1 Tier, single compartments with additional shelf at 300mm down from top.

2 Tier, 2 equal height compartments with coat hooks.

3 Tier, 3 equal compartments.

3 Tier unequal, 1 half-height compartment with coat hooks over 2-quarter height.

4 Tier, 4 equal compartments.

5 Tier, 5 equal compartments. Only available in 1800mm and 2,000mm height.

6 Tier, 6 equal compartments. Only available in 1800mm and 2,000mm height.

2 Tier, Duplex Z-lockers. 2 equal height compartments with coat hooks.

Increases internal height by 300mm per compartment. Available in 1800mm and 2,000mm high.

NB. Not available in glass.

Support plinths:

Pre-cast concrete plinth (by others)

Timber framed 100mm or 150mm high.

150mm high 30mm x 30mm powder coated mild steel support frame on adjustable feet.

415mm high 30mm x 30mm powder coated mild steel support frame with 290mm or

390mm wide Compact grade laminate seat slat.

100 x 100 x 3.2mm cantilevered aluminium angle support fixed to wall.

Fittings:

Coat hooks in all compartments of 900mm or more high.

Locking:

Aluminium Hasp and Clasp from machined aluminium engaged into grooves in the door frame profile, clasp is formed by machined hole in door and aluminium numberplate attached to door by stainless steel through fixing into Satin anodised aluminium door knob.

Padlock can be supplied by Client or Prospec.

Standard Camlock from solid brass, nickel-plated cam lock with 6-pin cylinder, drilled security key, mastered key series with 2,000 differs. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 1no user key per lock and 2no master keys per installation.

Prospec Combination lock with dual mechanism 4 digit combination, 10,000 different user selectable combinations, override master key and lost code finder function, separate number plate or engraved numeral on Laminate doors. Fixed through the door with 4 no machine screws.

Prospec Removable Cylinder Coin lock with coin refund, removable nickel-plated brass cylinder, drilled security key, mastered series with 2,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys and 1no cylinder removal key per

installation.

Resistance to forced entry by leverage 166kg as tested 3/09/02.

Prospec Removable Cylinder Card lock with removable nickel plated brass cylinder, drilled security key, mastered series with 2,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys and 1no Cylinder removal key installation.

Cards can be supplied by Client or Prospec.

Hole punch available to allow cards to be made on site.

Resistance to forced entry by leverage 166kg as tested 3/09/02.

Prospec Removable Cylinder Coin collect lock with coin retain function, coin box with separate master key, removable nickel plated brass cylinder, drilled security key, mastered series with 2,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys, 1no Cylinder removal key and 2no Coin box master keys per installation.

Resistance to forced entry by leverage 166kg as tested 3/09/02.

Enhanced security option available for all prospec coin / card locks, Comprising aluminium edge guard fixed to inner face of door.

Prospec / Kaba Fixed Cylinder Coin lock with coin refund, fixed KABA cylinder, drilled security key, Unique mastered series with 10,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 2no master keys per order.

Resistance to forced entry by leverage 250kg as tested 12/11/01.

Prospec / Kaba Removable Cylinder Coin lock with coin refund, removable KABA cylinder, drilled security key, Unique mastered series with 10,000 differs, Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 2no master keys and 1no cylinder removal key per order.

Resistance to forced entry by leverage 250kg as tested 12/11/01.

Prospec / Kaba Fixed Cylinder Coin collect lock with coin retain function, fixed KABA cylinder, drilled security key, Unique mastered series with 10,000 differs, Fixed to backplate with 4no anti tamper torx screws. Coin box with separate master key. Attached to door on aluminium numberplate by stainless steel through fixings. Supplied with 2no master keys per order.

Resistance to forced entry by leverage 250kg as tested 12/11/01.

Prospec / Kaba Removable Cylinder Coin collect lock with coin retain function, removable KABA cylinder, drilled security key, Unique mastered series with 10,000 differs, Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Coin box with separate master key. Attached to door on aluminium numberplate by stainless steel through fixings. Supplied with 2no master keys and 1no cylinder removal key per order. Resistance to forced entry by leverage 250kg as tested 12/11/01.

Prospec / Kaba High security Fixed Cylinder coin lock with coin refund, fixed KABA cylinder with protective shroud, drilled security key, Unique mastered series with 10,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by

stainless steel through fixings. Lock case reinforced with stainless steel faceplate fixed through the lock case with 4no additional stainless steel security screws. Lock bolt from cast stainless steel. Attached to door on aluminium numberplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys per installation.

Resistance to forced entry by leverage 525kg as tested 3/09/02.

Prospec / Kaba High security Removable Cylinder coin lock with coin refund, removable KABA cylinder with protective shroud, drilled security key, Unique mastered series with 10,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Lock case reinforced with stainless steel faceplate fixed through the lock case with 4no additional stainless steel security screws. Lock bolt from cast stainless steel. Attached to door on aluminium numberplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys and 1no cylinder removal key per order.

Resistance to forced entry by leverage 525kg as tested 3/09/02.

Prospec / Kaba Fixed Cylinder Coin collect lock with coin retain function, fixed KABA cylinder, drilled security key, Unique mastered series with 10,000 differs, Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Coin box with separate master key. Attached to door on aluminium number / backplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys and 2no coin box master keys per installation.

Resistance to forced entry by leverage 250kg as tested 12/11/01.

Prospec / Kaba Removable Cylinder Coin collect lock with coin retain function, removable KABA cylinder, drilled security key, Unique mastered series with 10,000 differs, Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Coin box with separate master key. Attached to door on aluminium numberplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys, 1no cylinder removal key and 2no coin box master keys per installation.

Resistance to forced entry by leverage 250kg as tested 12/11/01.

Prospec / Kaba High security Fixed Cylinder Coin collect lock with coin refund, fixed KABA cylinder with protective shroud, drilled security key, Unique mastered series with 10,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Lock case reinforced with stainless steel faceplate fixed through the lock case with 4no additional stainless steel security screws. Lock bolt from cast stainless steel. Coin box with separate master key. Attached to door on aluminium numberplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys per installation.

Resistance to forced entry by leverage 525kg as tested 3/09/02.

Prospec / Kaba High security Removable Cylinder Coin collect lock with coin refund, removable KABA cylinder with protective shroud, drilled security key, Unique mastered series with 10,000 differs. Fixed to backplate with 4no anti tamper torx screws. Attached to door and aluminium numberplate by stainless steel through fixings. Lock case reinforced with stainless steel faceplate fixed through the lock case with 4no additional stainless steel security screws. Lock bolt from cast stainless steel. Coin box with separate master key. Attached to door on aluminium numberplate by stainless steel through fixings. Supplied with 1no user key per lock, 2no master keys and 1no cylinder removal key per order.

Resistance to forced entry by leverage 525kg as tested 3/09/02.

High security option available for all Prospec / Kaba coin locks, Comprising stainless steel lock

bolt, cylinder shroud, stainless steel reinforcement backplate, additional fixing screws.

Keystraps:

Moulded from Flexible PVC, stainless steel buckles, with black numerals, for all cam and coin locks.

Colour: Blue / Green / Red / Yellow / Orange / White

Moulded from Flexible PVC, integral buckles, with black numerals, for all cam and coin locks.

Colour: Blue / Green / Red / Yellow / Orange / Grey / White

Numbered discs / safety pin:

25mm diameter White Trafolyte disc white black engraved numerals.

DDA compliant numberplates:

Semi elliptical Trafolyte with 30mm high tactile engraved numerals, in numerous 2no colours options to distinguish numeral from plate and plate from door.

Marathon OTS

Transponder operated stand-alone lock, powered by 4 AA batteries, 50,000 cycle's battery life.

Push button to lock / unlock operated by strap, card or Technogym key. Attached to locker door and aluminium numberplate by stainless steel through fixings.

Capable of being configured for specific types of facility, health club, leisure centre.

Locks programmed by remote unit.

Remote Information terminal showing locker number of individual straps, cards.

Strap return unit with deposit refund option, turnstile activation and interface with Optional PC

Resistance to forced entry by leverage 200kg as tested 21/06/06.

Prospec Digilock:

Battery operated standalone electronic digital lock with 4-digit user selected code input, master key, management key and disabled user key option. LED indicators for lock unlock and low battery warning, 4 AA size batteries 30,000 cycles, Deadbolt locking for security, fixed through the door with steel screws.

Can be assigned for private clubs or shared use for public buildings.

Keypad with integral pull handle.

separate numberplate or engraved numerals on laminate doors.

Marathon-LoXS

Computerised Proximity Control and Management System integrated into standard locker components, mechanical / electronic lock operated by low voltage current (16volts nominal)

Can be configured for specific types of facility, e.g. private health club, Public Leisure Centre etc.

Lock mounted to vertical doorframe with 4no stainless steel screws, latch pin from stainless steel secured through door with anti tamper feature.

Locks are operated by wriststraps containing a proximity chip.

Visual LCD indicator in door to show in use or free compartments.

Automatic or manual locker allocation from Visual Display Unit, function to remind users of locker number.

Alarm function visible at central computer.

Wriststrap return unit with deposit refund.

Capable of linking to access control of turnstiles or door locks.

Locker use can be monitored, analysed, and controlled via central computer.

Resistance to forced entry by leverage 137kg as tested 14/04/04.